



# **The Museum Showcase Brochure**


## **A guide for designers & specifiers**

# Museum showcase menu

1a	NOVA 140	High security conservation showcase with hinged door Glazed on 4 sides
1b	NOVA 140	High security conservation showcase with hinged door Glazed on 3 sides with solid back
1c	NOVA 140	High security conservation showcase with hinged door Glazed on 1 side with solid back and side panels
2a	NOVA 140	High security conservation showcase with single mechanism pull & slide door Glazed on 5 sides
2b	NOVA 140	High security conservation showcase with pull & slide door Glazed on 4 sides
3a	NOVA 60	High security conservation showcase with hinged door Glazed on 4 sides
3b	NOVA 60	High security conservation showcase with hinged door Glazed on 3 sides with solid back
3c	NOVA 60	High security conservation showcase with hinged door Glazed on 1 side with solid back and side panels
4a	VISION	Plinth top high security conservation showcase - Lift-Off canopy Glazed on 5 sides
4b	VISION	Plinth top high security conservation showcase - Hinged canopy Glazed on 5 sides
4c	VISION	Plinth top high security conservation showcase - Electrically operated canopy Glazed on 5 sides
4d	VISION	Plinth top high security conservation showcase - Hinged canopy Glazed on 4 sides with solid back
4e	VISION	Wall mounted high security conservation showcase - Hinged canopy Glazed on 5 sides
5a	PROFRAME	High security conservation showcase - Hinged door to front Glazed on 1 side (For installation into structures or wall mounted)
6a	NOVA 14	Bespoke cases example (glass top)
6b	NOVA 14	Bespoke cases example (glass front & back solid sides) (glass front & side, solid back & side)
7a	SHELVES	Suspended & cantilever shelves

# 1a NOVA 140

High security conservation showcase with hinged door  
Glazed on 4 sides



## Exterior frame finish:

- Polyester powder coated to any RAL colour

## Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

## Optional:

- 11.5mm Low iron low reflective laminated glass
- 13.5mm Low iron laminated glass
- 13.5mm Low iron low reflective laminated

## Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

## Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

## Security:

- Abloy high security locks with espagnolette "T-bar"

## Lighting:

- Low voltage LED lights

## Shelving:

- Adjustable suspended system with 10mm toughened glass


## Conditioning:

- Lockable silica gel compartment

## Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



# 1b NOVA 140

High security conservation showcase with hinged door  
Glazed on 3 sides with solid back



## Exterior frame finish:

- Polyester powder coated to any RAL colour

## Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

## Optional:

- 11.5mm Low iron low reflective laminated glass
- 13.5mm Low iron laminated glass
- 13.5mm Low iron low reflective laminated

## Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

## Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

## Security:

- Abloy high security locks with espagnolette "T-bar"

## Lighting:

- Low voltage LED lights

## Shelving:

- Adjustable suspended system with 10mm toughened glass
- Adjustable cantilever system with 10mm toughened glass shelves


## Conditioning:

- Lockable silica gel compartment

## Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



# 1c NOVA 140

High security conservation showcase with hinged door  
Glazed on 1 side with solid back and side panels



## Exterior frame finish:

- Polyester powder coated to any RAL colour

## Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

## Optional:

- 11.5mm Low iron low reflective laminated glass
- 13.5mm Low iron laminated glass
- 13.5mm Low iron low reflective laminated

## Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

## Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

## Security:

- Abloy high security locks with espagnolette "T-bar"

## Lighting:

- Low voltage LED lights

## Shelving:

- Adjustable suspended system with 10mm toughened glass
- Adjustable cantilever system with 10mm toughened glass shelves

## Conditioning:

- Lockable silica gel compartment


## Optional:

- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases


## Typical configurations




Single bay




Double bay




Multi bay



T form




Showcase inset in wall



Detail of typical clearance between showcase & wall

## 2a NOVA 140 Pull & Slide

High security conservation showcase with single mechanism pull & slide door  
Glazed on 5 sides



### Exterior frame finish:

- Polyester powder coated to any RAL colour

### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

### Optional:

- 11.5mm Low iron low reflective laminated glass
- 13.5mm Low iron laminated glass
- 13.5mm Low iron low reflective laminated

### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

### Security:

- Abloy high security locks with espagnolette "T-bar"

### Lighting:

- Low voltage LED lights


### Conditioning:

- Lockable silica gel compartment

### Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations




## 2b NOVA 140 Pull & Slide

High security conservation showcase with pull & slide door  
Glazed on 4 sides



### Typical configurations



#### Exterior frame finish:

- Polyester powder coated to any RAL colour

#### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

#### Optional:

- 11.5mm Low iron low reflective laminated glass
- 13.5mm Low iron laminated glass
- 13.5mm Low iron low reflective laminated

#### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

#### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

#### Security:

- Abloy high security locks with espagnolette "T-bar"

#### Lighting:

- Low voltage LED lights

#### Shelving:

- Adjustable suspended system with 10mm toughened glass
- Adjustable cantilever system with 10mm toughened glass shelves

#### Conditioning:


- Lockable silica gel compartment

#### Optional:

- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## 3a NOVA 60

High security conservation showcase with hinged door  
Glazed on 4 sides



### Exterior frame finish:

- Polyester powder coated to any RAL colour

### Glazing:

All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

### Optional:

- 11.5mm Low iron low reflective laminated glass

### Interior dress panel:

- Fine roller painted ZFMDf (dacrylate sealed) to any RAL colour

### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

### Security:

- Abloy high security cam lock

### Lighting:

- Low voltage LED lights

### Shelving:

- Adjustable suspended system with 10mm toughened glass


### Conditioning:

- Lockable silica gel compartment

### Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



## 3b NOVA 60

High security conservation showcase with hinged door  
Glazed on 3 sides with solid back



### Exterior frame finish:

- Polyester powder coated to any RAL colour

### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

### Optional:

- 11.5mm Low iron low reflective laminated glass

### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

### Security:

- Abloy high security cam lock

### Lighting:

- Low voltage LED lights

### Shelving:

- Adjustable suspended system with 10mm toughened glass
- Adjustable cantilever system with 10mm toughened glass shelves


### Conditioning:

- Lockable silica gel compartment

### Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



# 3c NOVA 60

High security conservation showcase with hinged door  
Glazed on 1 side with solid back and side panels



## Exterior frame finish:

- Polyester powder coated to any RAL colour

## Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

## Optional:

- 11.5mm Low iron low reflective laminated glass

## Interior dress panel:

- Fine roller painted ZFMDf (dacrylate sealed) to any RAL colour

## Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

## Security:

- Abloy high security cam lock

## Lighting:

- Low voltage LED lights

## Shelving:

- Adjustable suspended system with 10mm toughened glass
- Adjustable cantilever system with 10mm toughened glass shelves






## Conditioning:

- Lockable silica gel compartment

## Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



## 4a VISION LIFT-OFF

Plinth top high security conservation showcase - Lift-Off canopy  
Glazed on 5 sides



### Exterior frame finish:

- Polyester powder coated to any RAL colour

### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

### Optional:

- 9.5mm Low iron low reflective glass
- 11.5mm Low iron low reflective laminated glass

### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

### Security:

- Abloy high security push lock

### Lighting:

- Low voltage LED lights


### Conditioning:

- Lockable silica gel compartment

### Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



## 4b VISION HINGED

Plinth top high security conservation showcase - Hinged canopy  
Glazed on 5 sides



### Exterior frame finish:

- Polyester powder coated to any RAL colour

### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

### Optional:

- 9.5mm Low iron low reflective glass
- 11.5mm Low iron low reflective laminated glass

### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

### Security:

- Abloy high security push lock

### Lighting:

- Low voltage LED lights


### Conditioning:

- Lockable silica gel compartment

### Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations




## 4c VISION AUTO LIFT

Plinth top high security conservation showcase - Electrically operated canopy  
Glazed on 5 sides



### Typical configurations



Electric actuator supported canopy

#### Exterior frame finish:

- Polyester powder coated to any RAL colour

#### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

#### Optional:

- 9.5mm Low iron low reflective glass
- 11.5mm Low iron low reflective laminated glass

#### Interior dress panel:

- Fine roller painted ZFMDf (dacrylate sealed) to any RAL colour

#### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

#### Security:

- Abloy high security push lock

#### Lighting:

- Low voltage LED lights

#### Conditioning:


- Lockable silica gel compartment

#### Optional:

- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## 4d **VISION** HINGED SOLID BACK

High security conservation showcase with hinged door  
Glazed on 4 sides



### Exterior frame finish:

- Polyester powder coated to any RAL colour

### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

### Optional:

- 9.5mm Low iron low reflective glass
- 11.5mm Low iron low reflective laminated glass

### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

### Security:

- Abloy high security push lock

### Lighting:

- Low voltage LED lights


### Conditioning:

- Lockable silica gel compartment

### Optional:


- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations




## 4e **VISION** WALL MOUNTED

Wall mounted high security conservation showcase - Hinged canopy  
Glazed on 5 sides



### Typical configurations



#### Exterior frame finish:

- Polyester powder coated to any RAL colour

#### Glazing: All glazing supplied according to BS EN 356 (P4a)

- 11.5mm Low iron laminated glass

#### Optional:

- 9.5mm Low iron low reflective glass
- 11.5mm Low iron low reflective laminated glass

#### Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

#### Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

#### Security:

- Abloy high security push lock

#### Lighting:

- Low voltage LED lights

#### Conditioning:


- Lockable silica gel compartment

#### Optional:

- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

# 5a PROFRAME

High security conservation showcase - Hinged door to front  
Glazed on 1 side (For installation into structures or wall mounted)



Door only (fixed to client structure/wall)

## Exterior frame finish:

- Polyester powder coated to any RAL colour

## Glazing: All glazing supplied according to BS EN 356 (P4a)

- 9.5mm Low iron laminated glass

## Optional:

- 9.5mm Low iron low reflective glass
- 11.5mm Low iron low reflective laminated glass

## Interior dress panel:

- Fine roller painted ZFMDF (dacrylate sealed) to any RAL colour

## Optional:

- Fabric finished to client's specification
- Folded metal finished to polyester powder coated to any RAL colour ref
- Corian
- Laminate finished to client's specification

## Security:

- Abloy high security cam lock

## Lighting:

- Low voltage LED lights






## Conditioning:

- Lockable silica gel compartment


## Optional:

- Micro Climate AS 600 fan assisted silica gel system for larger volume showcases

## Typical configurations



**6a** **NOVA 140** GLASS TOP





## 6b NOVA 140



Glass front & back, solid sides




Glass front & solid back, solid sides/glass side




# 7a SHELVES

## Suspended



## Cantilever



# Dellner Glass Solutions

## we work with you, every step of the way

For UK and Europe enquiries:

**Evrin Osmanoglu**

**Mob:** +44 (0) 7985 696 218

**Tel:** +44 (0) 1827 63821

**Email:** [evrim.osmanoglu@dellnerglass.com](mailto:evrim.osmanoglu@dellnerglass.com)

**[www.dellnerglass.co.uk](http://www.dellnerglass.co.uk)**

Dellner Glass Solutions is the official licensee of Armour Systems Ltd world class museum display cases throughout the UK and mainland Europe

